ADVISORY COMMITTEE BRIEFING MATERIALS: AVAILABLE FOR PUBLIC RELEASE

ERRATA FOR ADVISORY COMMITTEE BRIEFING DOCUMENT DRISAPERSEN NDA 206031

PERIPHERAL AND CENTRAL NERVOUS SYSTEM DRUGS ADVISORY COMMITTEE

24 November 2015



BioMarin Pharmaceutical Inc. 105 Digital Drive Novato, CA 94949

This errata provides minor corrections to one Table contained within the briefing document to support the upcoming Advisory Committee meeting on 24 November 2015. This errata is intended to provide transparency of these minor corrections and does not change the data in the table or affect the conclusions within the briefing document.

AVAILABLE FOR PUBLIC DISCLOSURE WITHOUT REDACTION

Drisapersen Advisory Committee Briefing Document

PAGE 108, TABLE 4.7.2.2.3

Was:

Table 4.7.2.2.1: Adjusted Mean Change from Baseline in 6MWD at Week 48 Adjusted for Age, Baseline 6MWD, and Baseline Rise-from-the-Floor Time in Study 044 (ITT Populations)

	Placebo (n=61)	Drisapersen 6 mg/kg/wk (n=125)
Baseline 6MWD, n	9	17
Mean ± SD, meters	361.8 ± 85.4	363.0 ± 114.3
Week 48, n	9	16
Mean change \pm SE, meters	-108.6 ± 24.8	-46.9 ± 18.4
Mean difference vs. placebo, meters	_	61.7
(95% CI)	_	(-2.2, 125.6)
p-value	_	0.058

6MWD, 6-minute walking distance in meters; CI, confidence interval; MMRM, mixed model repeated measures; ITT, intent-to-treat; SD, standard deviation; SE, standard error.

All mean changes are adjusted.

MMRM model included terms for treatment, visit, treatment by visit, age, age by visit, country grouping, baseline 6MWD, and baseline 6MWD by visit.

Is amended to:

Table 4.7.2.2.3: Adjusted Mean Change from Baseline in 6MWD at Week 48 of Patients in Study 044 from Centers that Previously Participated in Study 117

	Placebo (n=61)	Drisapersen 6 mg/kg/wk (n=125)
Baseline 6MWD, n Mean ± SD, meters	9 361.8 ± 85.4	17 363.0 ± 114.3
Week 48, n	9	303.0 ± 114.3
Mean change ± SE, meters	-108.6 ± 24.8	-46.9 ± 18.4
Mean difference vs. placebo, meters	_	61.7
(95% CI) p-value	_ _	(-2.2, 125.6) 0.058

6MWD, 6-minute walking distance in meters; CI, confidence interval; MMRM, mixed model repeated measures; SD, standard deviation; SE, standard error.

All mean changes are adjusted.

MMRM model included terms for treatment, visit, treatment by visit, country grouping, baseline 6MWD, and baseline 6MWD by visit.

Rationale: Changes were made to table title and footnotes to clarify that analysis was performed on the group of patients in Study 044 from centers that previously participated in Study 117 and that the MMRM model included terms for treatment, visit, treatment by visit, country grouping, baseline 6MWD, and baseline 6MWD by visit, and did not include terms for Age and Baseline Rise-from-the-Floor Time.